



1993-1997 Toyota Corolla Lower Ball Joint Replacement

A video tutorial on how to change an old worn out or damaged lower ball joint on the 1993-1997 Toyota Corolla.

Written By: eCuration



INTRODUCTION

If you are experiencing a clanking sound in the front end as well as excessive vibration or a wandering steering wheel, then it may be time to replace the lower ball joints on your Toyota Corolla.

Follow this video tutorial by YouTuber [NutzAboutbolts](#) to do the replacement yourself.



TOOLS:

- [Hydraulic Floor Jack](#) (1)
- [Jack Stand](#) (1)
- [Wheel Chocks](#) (1)
- [Impact Wrench](#) (1)
- [3/8" Drive Ratchet](#) (1)
- [10" Ratchet Extension](#) (1)
- [30mm Socket Impact](#) (1)
- [Socket 19mm](#) (1)
- [17 mm Socket](#) (1)
- [14 mm socket](#) (1)
- [19 mm Box End Wrench](#) (1)
- [Ball Joint Service Tool Kit](#) (1)
- [Cutting Plier](#) (1)



PARTS:

- [Lower Ball Joint](#) (1)

To reassemble your device, follow these instructions in reverse order.

This document was last generated on 2017-09-13 07:22:14 PM.